


BEDSPREAD SPECIFICATIONS

Part 1 – General

- 1.1 Summary
 - A. Work include in this Section: Provision of Bedspreads
- 1.2 System Description
 - A. Performance Requirements: Provide custom quilted bedspreads that conform to the following requirements of regulatory agencies and the quality control of the Diamond Drapery Company.
- 1.3 Submittals
 - A. Product Data: Manufacturer's printed product data for each type of bedspread specified.
 - B. Fabric Samples: Swatch cards of fabric (memo) samples illustrating fabric color and style.
- 1.4 Delivery, Storage and Handling
 - A. Deliver and store packaged products in original containers with seals unbroken and labels intact until time of use.
 - B. Inspect materials at delivery to assure that specified products have been received.
 - C. Store delivered products inside in a clean, safe and dry environment.
- 1.5 Warranty
 - A. Standard Diamond Drapery Limited Warranty against material and manufacturing defects for a period of 1 year from the date of the installation.

Part 2 – Products

- 2.1 Bedspread
 - A. Description:
 - a. Fill
 - 1. 100% Bonded Polyester
 - 1. 6oz (standard)
 - 2. 8oz
 - 3. 10oz
 - 4. 12oz
 - b. Style
 - 1. Throw
 - 2. Throw fitted with Tongues at Corners
 - c. Quilting
 - 1. Directional
 - 1. Channel
 - 2. Wavy Diamond
 - 3. Standard Diamond (4" x 6")
 - 4. Onion
 - 5. Double Onion
 - 2. Non-Directional
 - 1. Box Quilt
 - 2. Squared Diamond
 - d. Sizing (standard)
 - 1. Twin – 39" wide by 80" long with 15" drop
 - 2. Full – 54" wide by 80" long with 15" drop
 - 3. Queen – 60" wide by 80" long with 15" drop
 - 4. King – 72" wide by 80" long with 15" drop
 - e. Fabric Selection:
 - 1. Select solid or patterned fabric from manufacturer's selection.
 - f. Backing (standard)
 - 1. Poly-cotton lining



BEDSPREAD SPECIFICATIONS

Part 2 – Products (continued)

- B. Acceptable Manufacturer:
 - Diamond Drapery Company
 - California, USA
 - 714-761-4543
 - 714-761-4623 fax
 - www.diamonddrapery.com
- C. Substitutions: Not Permitted
- D. Provide all bedspreads from a single source.
- E. Construction:
 - 1. Machine quilted with 100% nylon threads. Shuttle (bottom) threads are white.
 - 2. Sew a Diamond Drapery identification label and cleaning instructions on the back side of the bedspread.
 - 3. Fabric railroading: Typically, vertical striped patterns are to be railroaded. This will directly affect the layout of directional quilting patterns.
 - 4. Plaids: Cut plaid pattern materials utilizing a straight edge; thread pulling to mark cutting line is not an acceptable method.

Part 3—Execution

3.1 Preparation

- A. Coordinate details with other work supporting, adjoining, or otherwise contacting items as required to insure proper installation.
- B. Verify that beds and mattresses are installed by the general contractor and are ready to receive spreads.

3.2 Examination

- A. Examine construction to support, adjoin, or otherwise contact and verify that:
 - 1. Dimensions are correct.
 - 2. Exposed finishes have been applied, and setting conditions are dry, clean, and otherwise proper for installation.
- B. Do not install items until unsatisfactory conditions have been corrected.

3.3 Installation

- A. Install bedspread in accordance with approved Diamond Drapery Company recommendations.

3.4 Cleaning

- A. At completion of installation, remove any debris and clean surfaces in accordance with the Diamond Drapery Company clean-up and maintenance instructions.